# Acid Rock Drainage and the Effects on Water Quality



BRIAN M. LAWLESS ENVS 546 UNIVERSITY OF IDAHO






### Overview

#### Introduction

- Chemistry of acid rock drainage
- Drainage into water systems
- Impacts
- Remediation and treatment
- Future considerations



gettyimages.com



### Introduction

#### 3

#### Acid rock drainage (ARD)

- Acidification of water that occurs when it interacts with rock.
- Natural process.
- Often called acid mine drainage (AMD) because it is common near mines.



ifraserlab.wordpress.com



# Introduction

#### Gilt Edge Mine Superfund Site

- Opened in 1930's, worked for ~20 years.
- In 1986, re-opened by Brohm Mining Company (BMC).
- ▶ In 1992, site started leaching acid.
- By 1998, BMC was overwhelmed.
- In 2000, declared a superfund site.
  - 150 million gallons of untreated water (more every day).
  - Millions of cubic feet of cyanide-heap leach piles.
- So far, \$60 million spent in cleanup, an estimated \$100 million needed.




brianmlawless.com



### Chemistry of ARD


Sulfides oxidize into acids when they interact with water and oxygen.





Water moves through deposits and into ground and surface water.

#### Black Fox Campground Rochford, SD



Google Earth

#### Mining

Many sulfide deposits are mined for metals.

Sulfide	Chemical Formula	Extracted Product
Chalcopyrite	CuFeS <sub>2</sub>	Copper
Cinnabar	HgS	Mercury
Galena	PbS	Lead
Molybdenite	MoS	Molybdenum
Pyrite	FeS <sub>2</sub>	Iron
Sphalerite	ZnS	Zinc



#### Mine shafts and pits.

Increased surface area and allow more interaction with groundwater.



911metallurgist.com





brianmlawless.com



#### Mine tailings

Exponentially increased surface area plus leaching chemicals.







# Impacts of ARD

#### Water discoloration

- From rust precipitation
- Increased water temperature
  - Increased pathogens
  - Less dissolved oxygen
- Increased acidity
  - ► Harsher for fish and plants (if livable at all).
- Increased heavy metals
  - Acidic water mobilizes heavy metals.
  - ► Heavy metals lead to neurological issues.



10

wvu.edu

# Impacts of ARD

- Impacts on drinking water
  - More need for treatment to meet standards.
    - Increased pathogens
    - Increased heavy metals
    - Discoloration (secondary)
  - Damage to water treatment systems due to corrosion.
    - Ruptures
    - Clogged plumbing



latimes.com








### Remediation and Treatment

#### Prevention

- Sealing underground mines
- Underwater storage
- Sealed waste heaps
- Microencapsulation
- Anionic treatment
- Blending waste materials





### Remediation and Treatment

#### Treating affected water

- Lime treatment
  - Raise pH to neutralize and precipitate heavy metals.
  - Expensive
  - Requires lime supply



### Remediation and Treatment

- Emerging treatment methods
  - More natural-based
    - Aerobic wetlands
    - Anoxic limestone drains
    - Bioremediation
    - Reactive barriers





lrme.ca



14

wvu.edu

### **Future Considerations**

#### 15

#### Problem can still occur

- Hidden mines
- Groundwater travel time
- Developing countries
  - Economy outweighs safety
- Improved remediation methods
  - Affordable and deployable
- Regulations and mining practices
  - Prevention



environment.co.za



### References

- Akcil, A., & Koldas, S. (2006). Acid Mine Drainage (AMD): causes, treatment and case studies. *Journal of Cleaner Production*, 14(12-13), 1139–1145. http://doi.org/10.1016/j.jclepro.2004.09.006
- Baker, B. J., & Banfield, J. F. (2003). Microbial communities in acid mine drainage. *FEMS Microbiology Ecology*, 44(2), 139–152. http://doi.org/10.1016/S0168-6496(03)00028-X
- Bell, F. G., Bullock, S. E. T., Hälbich, T. F. J., & Lindsay, P. (2001). Environmental impacts associated with an abandoned mine in the Witbank Coalfield, South Africa. International Journal of Coal Geology, 45(2–3), 195–216. http://doi.org/http://dx.doi.org/10.1016/S0166-5162(00)00033-1
- Chin-Chan, M., Navarro-Yepes, J., & Quintanilla-Vega, B. (2015). Environmental pollutants as risk factors for neurodegenerative disorders: Alzheimer and Parkinson diseases. Frontiers in Cellular Neuroscience, 9(April), 124. http://doi.org/10.3389/fncel.2015.00124
- Dartmann, J., Sadlowsky, B., Dorsch, T., & Johannsen, K. (2010). Copper corrosion in drinking water systems effect of pH and phosphate-dosage. *Materials and Corrosion*, 61(3), 189–198. http://doi.org/10.1002/maco.200905241
- **Epa.gov.** (2016). Gilt Edge Mine Superfund. Retrieved April 9, 2016, from https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0801668
- Ferguson, C., de Roda Husman, A. M., Altavilla, N., Deere, D., & Ashbolt, N. (2003). Fate and Transport of Surface Water Pathogens in Watersheds. Environmental Science & Technology, 33(3), 299–361. http://doi.org/10.1080/10643380390814497
- Gazea, B., Adam, K., & Kontopoulos, A. (1996). A review of passive systems for the treatment of acid mine drainage. *Minerals Engineering*, 9(1), 23–42. http://doi.org/10.1016/0892-6875(95)00129-8
- Jarup, L. (2003). Hazards of heavy metal contamination. British Medical Bulletin, 68(1), 167–182. http://doi.org/10.1093/bmb/ldg032
- ▶ Johnson, D. B., & Hallberg, K. B. (2005). Acid mine drainage remediation options: a review. *Science of The Total Environment*, 338(1-2), 3–14. http://doi.org/10.1016/j.scitotenv.2004.09.002
- Miningfacts.org. (2016). What is acid rock drainage? Retrieved April 9, 2016, from http://www.miningfacts.org/Environment/What-is-acid-rock-drainage/
- Todd, A. S., McKnight, D. M., Jaros, C. L., & Marchitto, T. M. (2007). Effects of Acid Rock Drainage on Stocked Rainbow Trout (Oncorhynchus mykiss): An In-Situ, Caged Fish Experiment. *Environmental Monitoring and Assessment*, 130(1-3), 111–127. http://doi.org/10.1007/s10661-006-9382-7
- Wang, C., Yuan, N., & Pei, Y. (2014). Effect of pH on Metal Lability in Drinking Water Treatment Residuals. *Journal of Environment Quality*, 43(1), 389. http://doi.org/10.2134/jeq2013.06.0233